Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10	167	(MMR or multi near mode near receiver) and ((CDMA or code near division near multiple near access) or (digital near broadcase near satellite or DBS) or (GPS or global near position$3 near satellite) or (PCS or personal near communication near service))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 13:51
S11	136	(MMR or multi near mode near receiver) and ((CDMA or code near division near multiple near access) and (digital near broadcase near satellite or DBS) or (GPS or global near position$3 near satellite) or (PCS or personal near communication near service))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 13:51
S12	83	(MMR or multi near mode near receiver) and ((CDMA or code near division near multiple near access) and (digital near broadcase near satellite or DBS) and(GPS or global near position$3 near satellite) or (PCS or personal near communication near service))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 13:51
S23	7	(MMR or multi near mode near receiver) and ((CDMA or code near division near multiple near access) and (digital near broadcase near satellite or DBS) and (GPS or global near position$3 near satellite) or (PCS or personal near communication near service)) and baseband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 17:03
S26	5	(MMR or multi near mode near receiver) and (CDMA or code near division near multiple near access) and ((digital near broadcase near satellite or DBS) or (GPS or global near position$3 near satellite) or (PCS or personal near communication near service)) with baseband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 15:57
S30	6	(MMR or multi near mode near receiver) and (CDMA or code near division near multiple near access) and ((digital near broadcase near satellite or DBS) or (GPS or global near position$3 near satellite) or (PCS or personal near communication near service)) and (first near2 system and second near2 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	(multiple or plural$3) near1 (function$1 or capabilit$3 or system$1) and downconverter with (first and second) near signal	USPAT	OR	OFF	2005/01/18 11:31
L3	0	GPS and CDMA and GSM and downconverter with (first and second) near signal	USPAT	OR	OFF	2005/01/18 11:32
L4	1	CDMA and GPS and downconverter with (first and second) near signal	USPAT	OR	OFF	2005/01/18 11:53
L5	72	CDMA and DBS	USPAT	OR	OFF	2005/01/18 11:53
L6	1	CDMA and digital near1 broadcast near system	USPAT	OR	OFF	2005/01/18 11:55
L7	0	CDMA and digital near1 broadcast near system and multi near mode near receiver	USPAT	OR	OFF	2005/01/18 11:54
L8	0	multi near1 mode near receiver and CDMA and digital near1 broadcast near system	USPAT	OR	OFF	2005/01/18 11:56
S3	49260	(multiple or many or plural$3 or several) adj2 (function$1 or capabilit$3 or system$1 or mode$1) and receiv$3 near signal$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 13:35
S4	20	S3 and convert$3 with (first and second) with baseband near signal$1 and process$3 with (first and second) with baseband near signal$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 13:37
S8	1	(MMR or multi near mode near receiver) and (digital near broadcase near satellite or DBS) and (GPS or global near position$3 near satellite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 13:48
S9	223228	(MMR or multi near mode near receiver) and (CDMA or code near division near multiple near access) or (digital near broadcase near satellite or DBS) or (GPS or global near position$3 near satellite) or (PCS or personal near communication near service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 13:50

Ref#	Hits	Search Query	DBs	Operator	Plurals	Time Stamp
S40	34	((MMR or multi near mode near receiver) or (mutli$3 or many or several or plural$3) near (function or mode or capabilit$3 or communication near system$1)) and ((CDMA or code near division near multiple near access) same (digital near broadcase near satellite or DBS) or (GPS or global near position$3 near satellite) or (PCS or personal near communication near service)) and (process$3 or convert$3)) with baseband near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 17:57
S41	207	((MMR or multi near mode near receiver) or (mutli$3 or many or several or plural$3) near (function or mode or capabilit$3 or communication near system$1)) and baseband with (process$3 and convert$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 17:58
S42	32	((MMR or multi near mode near receiver) or (mutli$3 or many or several or plural$3) near (function or mode or capabilit$3 or communication near system$1)) and baseband with (process$3 and convert$3) and CDMA and PCS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 18:07
S43	83	(MMR or multi near mode near receiver) and first near system and second near system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 18:08
S44	2	(MMR or multi near mode near receiver) and first near system and second near system and CDMA and PCS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 18:39
S46	2	(MMR or multi near mode near receiver) and first near system and second near system and CDMA and GSM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 18:09
S52	7	CDMA with DBS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 18:40

Ref#	Hits	Search Query	DBs	Operator	Plurals	Time Stamp
S31	1	(MMR or multi near mode near receiver) and first near (system or convert$2 or process$2) and second near (system or convert$2 or process$2) with baseband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:59
S33	25	(MMR or multi near mode near receiver) and ((CDMA or code near division near multiple near access) or (digital near broadcase near satellite or DBS) or (GPS or global near position$3 near satellite) or (PCS or personal near communication near service)) and baseband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 17:37
S37	70	((MMR or multi near mode near receiver) or (mutli$3 or many or several or plural$3) near (function or mode or capabilit$3 or communication near system$1)) and ((CDMA or code near division near multiple near access) and (digital near broadcase near satellite or DBS) or (GPS or global near position$3 near satellite) or (PCS or personal near communication near service)) and (process$3 or convert$3)) with baseband near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 17:42
S38	34	((MMR or multi near mode near receiver) or (mutli$3 or many or several or plural$3) near (function or mode or capabilit$3 or communication near system$1)) and ((CDMA or code near division near multiple near access) and (digital near broadcase near satellite or DBS) or (GPS or global near position$3 near satellite) or (PCS or personal near communication near service)) and (process$3 or convert$3)) with baseband near signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 17:54

S80	6	multi near mode near receiver and bandpass and analog near2 digital near converter and digital near2 analog near converter and low near pass near filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 12:36
S84	23	bandpass and multi near mode near receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:34
S85	7	baseband near processor and multi near mode near receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:33
S86	36	baseband and multi near mode near receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:34
S87	23	baseband and multi near mode near receiver and CDMA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:48
S89	27	transceiver and multi near mode near receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:51
S90	15	transceiver and multi near mode near receiver and baseband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 16:09
S10 2	4	multi near (mode or function) near receiver and (digital near1 analog near converter or DAC or D/A) and (finite near1 impulse near1 response or FIR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 17:32

S53	147	CDMA and DBS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 18:39
S58	3	CDMA and DBS and baseband near system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 18:41
S60	8	CDMA and (digital near broadcast near satellite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 18:41
S64	2	(CDMA and (digital near broadcast near satellite)) and baseband	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 18:42
S69	31	multi near mode near receiver and CDMA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 12:27
S71	100	multi near mode near receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 12:24
S77	23	multi near mode near receiver and bandpass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 12:28
S79	13	multi near mode near receiver and bandpass and analog near2 digital near converter and digital near2 analog near converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 12:38

S10 3	4	multi near (mode or function) near receiver and (digital near1 analog near converter or DAC or D/A) and (finite near1 impluse near1 response or FIR) and sampl$3 with rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 17:37
S10 6	1	S105 and sampl$3	USPAT	OR	OFF	2005/01/14 17:53
S10 7	1	S105 and down near converter	USPAT	OR	OFF	2005/01/14 17:57
S10 8	1	multi near mode near receiver and transceiver and (first and second) with down near converter	USPAT	OR	OFF	2005/01/14 17:59
S10 9	1	multi near mode near receiver and transceiver and (first and second) with down near converter and (first and second) near signal	USPAT	OR	OFF	2005/01/18 11:24